



WRF Cloud Resolving Model (CRM) Simulations to Study Mesoscale Cloud Morphology and Organization

Real-case nested-domain WRF-CRM:

- Domain: 1650x1650 km², 450x450 km²
- Resolution: 3 km, 1 km
- Vertical: 150 layers up to 16 km; 130 layers in the lower 6 km
- Realistic boundary conditions and SST (ERA5, FNL)





Science questions to answer:

- What are the meteorological factors that determine the CAO cloud morphology and control the transition from cloud streets to cellular clouds?
- What are the roles of aerosols and cloud microphysics?

1500UTC 03-01-2020

WRF model
(3 km and 1 km)

GOES-16 Satellite
(2 km)



Dropsondes released during 15-16UTC

(Chen et al., in prep)



Idealized WRF Large-Eddy Simulations (LES) for Understanding ACI in the fast-evolving marine boundary layer associated with CAO




Idealized-case WRF-LES:

- Domain: 60x60 km² with periodic boundary conditions
- Resolution: 300 m, 152 layers (up to 7 km)
- Meteorological profiles, advective forcings and surface fluxes from ACTIVATE and/or ERA5
- N_a , N_c and other measurements from ACTIVATE

Science objectives:

- Quantify sensitivities of CAO clouds and BL to large-scale forcings
- Study the interactions between aerosols and CAO clouds

(Li et al., 2021a,b)





WRF LES and CRM process-study data available

- **Idealized-case WRF-LES**

- Simulation cases: 28 February, 1 March 2020 (06–21 UTC)
- Sensitivity tests with different large-scale forcings (Li et al., 2021a) and aerosol input (Li et al., 2021b)

- **Real-case WRF-CRM**

- Simulation case: 1 March 2020 (06–00 UTC)
- Sensitivity tests with different boundary conditions (ERA5 and FNL)

- **WRF output in netcdf**

- State variables (T, P/Z, Q, U, V, W)
- Shortwave and longwave radiative fluxes
- Turbulent fluxes, cloud and other hydrometeors
- Every 30 minutes

- **Welcome collaboration**

- Use of the existing simulations
- New process-study cases
- Model intercomparison

Hailong.Wang@pnnl.gov

```
float QVAPOR(Time, bottom_top, south_north, west_east) ;
  QVAPOR:FieldType = 104 ;
  QVAPOR:MemoryOrder = "XYZ" ;
  QVAPOR:description = "Water vapor mixing ratio" ;
  QVAPOR:units = "kg kg-1" ;
  QVAPOR:stagger = "" ;
  QVAPOR:coordinates = "XLONG XLAT XTIME" ;
float QCLOUD(Time, bottom_top, south_north, west_east) ;
  QCLOUD:FieldType = 104 ;
  QCLOUD:MemoryOrder = "XYZ" ;
  QCLOUD:description = "Cloud water mixing ratio" ;
  QCLOUD:units = "kg kg-1" ;
  QCLOUD:stagger = "" ;
  QCLOUD:coordinates = "XLONG XLAT XTIME" ;
float QRAIN(Time, bottom_top, south_north, west_east) ;
  QRAIN:FieldType = 104 ;
  QRAIN:MemoryOrder = "XYZ" ;
  QRAIN:description = "Rain water mixing ratio" ;
  QRAIN:units = "kg kg-1" ;
  QRAIN:stagger = "" ;
  QRAIN:coordinates = "XLONG XLAT XTIME" ;
float QICE(Time, bottom_top, south_north, west_east) ;
  QICE:FieldType = 104 ;
  QICE:MemoryOrder = "XYZ" ;
  QICE:description = "Ice mixing ratio" ;
  QICE:units = "kg kg-1" ;
  QICE:stagger = "" ;
  QICE:coordinates = "XLONG XLAT XTIME" ;
float QSNOW(Time, bottom_top, south_north, west_east) ;
  QSNOW:FieldType = 104 ;
  QSNOW:MemoryOrder = "XYZ" ;
  QSNOW:description = "Snow mixing ratio" ;
  QSNOW:units = "kg kg-1" ;
  QSNOW:stagger = "" ;
  QSNOW:coordinates = "XLONG XLAT XTIME" ;
float QGRAUP(Time, bottom_top, south_north, west_east) ;
  QGRAUP:FieldType = 104 ;
  QGRAUP:MemoryOrder = "XYZ" ;
  QGRAUP:description = "Graupel mixing ratio" ;
  QGRAUP:units = "kg kg-1" ;
  QGRAUP:stagger = "" ;
  QGRAUP:coordinates = "XLONG XLAT XTIME" ;
float QNCLOUD(Time, bottom_top, south_north, west_east) ;
  QNCLOUD:FieldType = 104 ;
  QNCLOUD:MemoryOrder = "XYZ" ;
  QNCLOUD:description = "cloud water Number concentration" ;
  QNCLOUD:units = " kg(-1)" ;
  QNCLOUD:stagger = "" ;
  QNCLOUD:coordinates = "XLONG XLAT XTIME" ;
```